



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 12, 2016

Micah T. Reynolds
Intervet, Inc.
c/o Technology Sciences Group, Inc.
2 Giralda Farms
Madison, New Jersey 07940

Subject: Notification per PRN 98-10 – Addition of ABNs & Marketing Claims
Product Name: Deltamethrin 4% Collar
EPA Registration Number: 68451-1
Application Date: 16-Dec-2015
Decision Number: 512457

Dear Mr. Reynolds:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

The alternate brand names “*Activyl Flea and Tick Collar for Dogs, Activyl Flea & Tick Collar for Dogs, Activyl Collar with Deltamethrin, Activyl Collar with 4% Deltamethrin, Activyl Long Lasting Collar for Dogs, Activyl Deltamethrin Collar for Dogs, Activyl Protector Band for Dogs, Activyl Tick and Flea Collar for Dogs, Activyl Tick & Flea Collar for Dogs, Activyl Collar for Dogs, Activyl 6-Month Collar for Dogs, Activyl 6-Month Flea and Tick Collar for Dogs, Activyl 6-Month Flea & Tick Collar for Dogs, Activyl 6-Month Tick and Flea Collar for Dogs, Activyl 6-Month Tick & Flea Collar for Dogs, Activyl Six Month Collar for Dogs, Activyl Six Month Flea and Tick Collar for Dogs, Activyl Six Month Flea & Tick Collar for Dogs, Activyl Six Month Tick and Flea Collar for Dogs, Activyl Six Month Tick & Flea Collar for Dogs, Activyl Dog Collar for Tick and Flea Control, Activyl Dog Collar for Tick & Flea Control, Activyl Dog Collar for Flea and Tick Control, Activyl Dog Collar for Flea & Tick Control*” have been added to the product record.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the

website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Letu Kassa at 703-347-0462 or via email at kassa.letu@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

DELTAMETHRIN 4% COLLAR FLEA & TICK COLLAR FOR DOGS

(Note: One of the following "brands" may be used with subsequent callout text as the product's brand name.)

Alternate Brand Names: "SCALIBOR[®]", "BandGuard[®]", "Activyl[®]"

- "Alternate Brand Name" Flea and Tick Collar for Dogs
- "Alternate Brand Name" Flea & Tick Collar for Dogs
- "Alternate Brand Name" Collar with Deltamethrin
- "Alternate Brand Name" Collar with 4% Deltamethrin
- "Alternate Brand Name" Long Lasting Collar for Dogs
- "Alternate Brand Name" Deltamethrin Collar for Dogs
- "Alternate Brand Name" Protector Band for Dogs
- "Alternate Brand Name" Tick and Flea Collar for Dogs
- "Alternate Brand Name" Tick & Flea Collar for Dogs
- "Alternate Brand Name" Collar for Dogs
- "Alternate Brand Name" 6-Month Collar for Dogs
- "Alternate Brand Name" 6-Month Flea and Tick Collar for Dogs
- "Alternate Brand Name" 6-Month Flea & Tick Collar for Dogs
- "Alternate Brand Name" 6-Month Tick and Flea Collar for Dogs
- "Alternate Brand Name" 6-Month Tick & Flea Collar for Dogs
- "Alternate Brand Name" Six Month Collar for Dogs
- "Alternate Brand Name" Six Month Flea and Tick Collar for Dogs
- "Alternate Brand Name" Six Month Flea & Tick Collar for Dogs
- "Alternate Brand Name" Six Month Tick and Flea Collar for Dogs
- "Alternate Brand Name" Six Month Tick & Flea Collar for Dogs
- "Alternate Brand Name" Dog Collar for Tick and Flea Control
- "Alternate Brand Name" Dog Collar for Tick & Flea Control
- "Alternate Brand Name" Dog Collar for Flea and Tick Control
- "Alternate Brand Name" Dog Collar for Flea & Tick Control

NOTIFICATION

68451-1

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/12/2016

ACTIVE INGREDIENT:	Percentage by Weight
Deltamethrin	4.0%
INERT INGREDIENTS	96.0%
Total	100.0%

CAUTION: Do Not Let Children Play With This Collar
See Insert or Side Panel for additional Precautionary Statements
See Back for additional Precautionary Statements

Adjustable – One Size Fits All

EPA Reg No. 68451-1

EPA Est. No. 68451-FRA-1

NET CONTENTS: 1 Collar
NET WT. 0.9 oz

Intervet Inc (d/b/a Merck Animal Health)
2 Giralda Farms, Madison, NJ 07940

Product of France

Deleted: 4-28-2014

Formatted: Font: 10 pt, Not Bold, Italic

Formatted: Superscript

Formatted: Superscript

Formatted: Superscript

Deleted: ¶

Deleted: SCALIBOR[®] Flea and Tick Collar for Dogs . . . SCALIBOR[®] Collar with Deltamethrin¶
 SCALIBOR[®] Flea & Tick Collar for Dogs
 . SCALIBOR[®] Collar with 4% Deltamethrin¶
 SCALIBOR[®] Dog Collar for Flea and Tick Control . . . SCALIBOR[®] Long Lasting Collar for Dogs¶
 SCALIBOR[®] Dog Collar for Flea & Tick Control . . . SCALIBOR[®] Deltamethrin Collar for Dogs¶
 SCALIBOR[®] Collar for Dogs . . . SCALIBOR[®] Protector Band for Dogs¶
 SCALIBOR[®] 6-Month Collar for Dogs . . . SCALIBOR[®] Tick and Flea Collar for Dogs¶
 SCALIBOR[®] 6-Month Flea and Tick Collar for Dogs . . . SCALIBOR[®] 6-Month Flea & Tick Collar ¶
 SCALIBOR[®] Tick & Flea Collar for Dogs . . . for Dogs . . .

Deleted: ¶

Deleted: Summit

Deleted: 01

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS**

[Product Name] provides full season, up to 6 months protection against fleas and ticks

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION:

Do not open protective pouch until ready to use. Do not let children play with this collar.

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Do not use on puppies under 12 weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

This collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals. Applying other pesticides on the dog may not be necessary while the collar is being worn.

Deleted: 4-28-2014

FIRST AID	
If swallowed	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 – 20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
For incidents involving HUMANS , call 1-800-680-9206 For incidents involving ANIMALS , call 1-800-224-5318 EST between the hours of xxx and xxx. Evenings and week-ends call 800-345-4735 Have the product container or label with you when calling a poison control center or doctor, or going for treatment	

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wipe the collar with a damp cloth prior to application. Place the collar around dog's neck, buckle and adjust for proper fit. Cut off approximately 2 inches from the buckle and dispose of excess length by wrapping in newspaper and placing in trash. The collar must be worn loosely so that two fingers may be placed between collar and dog's neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Living and rest areas of pet must also be treated with appropriate pest control measures to ensure control of pests. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. [Product Name] may be used in addition to a lead or constraint collar. Use only one [Product Name] at a time. This collar should be worn continuously. Reapply a new collar every 6 months.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide and Container Disposal: Do not reuse container or used collar. Dispose of in trash.

IMPORTANT NOTICE: DISCLAIMER

Read "IMPORTANT NOTICE: DISCLAIMER" before buying or using. If terms are not acceptable, return at once unopened. To the extent consistent with applicable law, INTERVET INC. warrants only that the product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in the accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to INTERVET INC., and user assumes the risk of any such use. To the extent consistent with applicable law, INTERVET INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OR FITNESS FOR A PARTICULAR PURPOSE OR OF MERCHANTABILITY. In no case shall INTERVET INC. be liable for consequential, special, indirect or incidental damages resulting from the use of handling of this product. The foregoing conditions of sale and warranty can be varied only by an agreement in writing signed by a duly authorized representative of INTERVET INC.

Part No. xxxxx

Universal Product Code Number (Bar Code)

Product of France

OPTIONAL/ALTERNATE LABEL TEXT

[Product Name], containing deltamethrin insecticide, has been specially formulated using patented insecticide-release technology.

Fleas (*Ctenocephalides sp.*) on the dog will be killed and those present in the dog's environment that may infest your pet will be killed.

Collar will kill ticks for up to 6 months including: Lone Star tick (*Amblyomma americanum*), Brown dog tick (*Rhipicephalus sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*) which may carry the Lyme disease.

Kills fleas and ticks for up to 6 months

Long lasting protection for up to 6 months

Protects your dog from (fleas) and (ticks) for up to 6 months

Continuous protection

Kills fleas

Kills ticks (including deer ticks which may transmit *Lyme disease*)

Kills ticks (which may transmit Rocky Mountain Spotted Fever)

Kills ticks (which may transmit anaplasmosis, babesiosis, ehrlichiosis, tularemia, Lyme disease and Southern Tick-Associated Rash Illness (STARI))

(Deltamethrin 4% Collar) (alternate brand name) kills fleas that may cause Flea Allergy Dermatitis (FAD)

(Deltamethrin 4% Collar) (alternate brand name) kills fleas that may cause anemia.

(Deltamethrin 4% Collar) (alternate brand name) kills fleas that may transmit bartonellosis.

(Deltamethrin 4% Collar) (alternate brand name) kills fleas that may transmit tapeworms.

Deleted: 4-28-2014

OPTIONAL/ALTERNATE LABEL TEXT (cont'd)

(Deltamethrin 4% Collar) (alternate brand name) kills ticks that may transmit babesiosis.

(Deltamethrin 4% Collar) (alternate brand name) kills ticks that may transmit anaplasmosis.

Patented insecticide-release technology

Wetting will not impair the collar's effectiveness or the pet's protection
Not affected by water

Water resistant

Repels mosquitoes for up to six months.

Reduces mosquito bites for up to six months.

Reduces blood feeding by mosquitoes for up to six months.

Protects against mosquito bites for up to six months.

Flea [and] [&] Tick Collar for Dogs

Collar with [4%] Deltamethrin

Long Lasting Collar for Dogs

Deltamethrin Collar for Dogs

Protector Band for Dogs

[Tick] [and] [&] Flea Collar for Dogs

[Six] [6] Month [Tick] [&] [and] [Flea] Collar for Dogs

Dog Collar for [Tick] [and] [&] Flea Control

Formatted: Tab stops: 3.25", Centered



Deleted: ¶

Formatted: Tab stops: 3.25", Centered